




The Anti-Skid Marine-Grade Polymer Sheet

King StarBoard® AS is a sure-grip, marine-grade, decking material designed specifically for high-traffic areas. This unique product features a special high-friction surface polymer in a diamond or dot pattern to prevent slipping and promote drainage.

Marine Products



KING
STARBOARD AS

Applications

- Bow Pulpits
- Decking
- Hatches
- Ladder Steps
- Swim Platforms
- Swimming Pool Grating
- Shower Floors
- Stairways and Entry Ways

Specifications

Standard Sheet Size

in: 54" x 96"

mm: 1371.6mm x 2438mm

Standard Gauges

in: 1/2" | 3/4" | 1"

mm: 12.7mm | 19mm | 25.4mm

Approximate Weight

lbs: 90 lbs | 135 lbs | 180 lbs

kg: 41kg | 61kg | 81.6kg

Tolerance information:

Gauges 1/2" up to 1" $\pm 5\%$

Length and width plus only at room temperature

Custom sheet sizes, gauges and colors available

Standard Colors




Black



Charcoal Gray



Dolphin Gray



Light Gray



Sanshade



Seafoam



White/White

Note: Color accuracy can vary considerably on computer monitors and printers.
Please consult your distributor for a product sample before making critical color choices.

Textures



Diamond



Dot

Properties

Units

ASTM

Nominal Values

Density	g/cc	D1505	0.955
Tensile Strength @ Yield	psi	D638	>4,100
Tensile Modulus	psi	D638	225,000
Elongation @ Break	%	D638	>600
Elongation @ Yield	%	D638	9.8
Flexural Modulus	psi	D790	185,000
Flexural Stress @ 5% Strain	psi	D790	3,810
Compressive Properties 10% Strain	psi	D695	4,000
Durometer	Shore D	D2240	66
Tensile Impact	ft.lbs./in. ²	D1822	115
Izod Impact Resistance	ft.lbs./in. ²	D256	1.1
Brittleness Temp.	°C (°F)	D746	<-76°C (<-105°F)
Vicat Softening Temp.	°C (°F)	D1525	123°C (253°F)
Heat Deflection Temp. 66 psi	°C (°F)	D648	75°C (167°F)
Screw and Nail Withdrawal	lbs	D1761	657 & 63
Flammability	Rating	UL94	HB
Slip Resistance (wet)	COF-Wet	D2047	0.62

All values are determined on specimens prepared according to ASTM.

Nominal values should not be interpreted as specifications.

King StarBoard® AS is made entirely from FDA and USDA approved material.

King StarBoard® AS meets ASTM D4976.

The raw material used to make King StarBoard® AS does not contain BPA's or Phthalates.



King Plastic Corporation
Our Innovation. Your Imagination.®

Distributed by:

Piedmont Plastics®
where solutions take shape

Toll Free: 1.800.277.7898
www.piedmontplastics.com