

The Multi-Color Engravable Polymer Sheet

King ColorCore® is a versatile, environmentally stabilized sheet with multiple layers of contrasting colors. Its thin cap layers and bright primary colors make it ideal for signage, marine, playground and recreational applications. For maximum versatility, standard colors are made to coordinate with King ColorBoard®. King ColorCore® is easy to engrave and machine, as the cap is approximately .050" thick. King ColorCore® is made with high-impact-resistant polymer to handle more abuse than conventional sign materials. It will not warp, rot or delaminate. King ColorCore® is a superior homogeneous sheet, made with a unique state-of-the-art continuous process called Polyfusion, manufactured to the highest standards in the industry. Base materials are FDA approved.

King ColorCore® is upgradable to King MicroShield® with an exclusive antimicrobial additive from Biosafe®, the latest technology for protecting the product surface against stain and odor causing bacteria, algae and fungi.*

King ColorCore® is upgradable with King FlameShield for ASTM E-84 Class A or B Flame Compliance and CAN/ULC-S102 for Canadian Compliance.

Engraving Products



KING
COLORCORE®

Applications

- Architectural Applications
- Carnival Games
- Children's Furniture
- Furniture
- Marine Applications
- Museums
- Picnic Tables
- Point-of-Purchase Displays
- Signage and Wayfinding

Specifications

Standard Sheet Size

in: 48" x 96"

mm: 1219mm x 2438mm

Standard Gauges

in: 1/4" | 1/2" | 3/4"

mm: 6.4mm | 12.7mm | 19mm

Approximate Weight

lbs: 40 lbs | 80 lbs | 120 lbs

kg: 18kg | 36kg | 54kg

Cap thickness is .050" for both sides of the material

Tolerance information: Gauges 1/4" up to 3/4" \pm 5%

Length and width plus only at room temperature

Custom sheet sizes, gauges, and colors available

Standard Colors



Blue/White/Blue



White/Blue/White



Red/White/Red



White/Red/White



Red/Black/Red



Black/Red/Black



Green/White/Green



White/Green/White



Green/Tan/Green




Tan/Green/Tan



Yellow/Black/Yellow



Black/Yellow/Black



Brown/Tan/Brown



Tan/Brown/Tan




Brown/White/Brown



White/Brown/White



Black/White/Black



White/Black/White

Note: Color accuracy can vary considerably on computer monitors and printers. Please consult your distributor for a product sample before making critical color choices. Disclaimer: King MicroShield® may affect color. King FlameShield may affect finish and color.

Active ingredient (Biosafe®).....antimicrobial siloxane EPA Reg. No. 83019-1

*For bacteriostatic, fungistatic, & algistatic properties. This product is exempt from registration under 40 CFR 152.25(a). King MicroShield® effectiveness verified by ISO and ASTM standards. This product does not protect users or others from disease-causing bacteria. Always clean this product thoroughly after use.

Biosafe® is a registered trademark of BIOSAFE, Inc.: Patent number 7,851,653 and 7,858,141.

| Properties | Units | ASTM | Nominal Values |
|-----------------------------------|--------------------------|-------|------------------|
| Density | g/cc | D1505 | 0.955 |
| Tensile Strength @ Yield | psi | D638 | >4,100 |
| Tensile Modulus | psi | D638 | 255,000 |
| Elongation @ Yield | % | D638 | 9.8 |
| Elongation @ Break | % | D638 | >600 |
| Flexural Modulus | psi | D790 | 185,000 |
| Flexural Stress @ 5% Strain | psi | D790 | 3,810 |
| Compressive Properties 10% Strain | psi | D695 | 4,950 |
| Durometer | Shore D | D2240 | 68 |
| Tensile Impact | ft.lbs./in. ² | D1822 | 115 |
| Izod Impact Resistance | ft.lbs./in. ² | D256 | 1.1 |
| Brittleness Temp. | °C (°F) | D746 | <-76°C (<-105°F) |
| Vicat Softening Temp. | °C (°F) | D1525 | 123°C (253°F) |
| Heat Deflection Temp. 66 psi | °C (°F) | D648 | 75°C (167°F) |
| Screw and Nail Withdrawal | lbs | D1761 | 657 & 63 |
| Flammability | Rating | UL94 | HB |

All values are determined on specimens prepared according to ASTM Standards. Nominal values should not be interpreted as specifications.

King ColorCore® is made entirely from FDA and made with USDA approved materials.

King ColorCore® meets ASTM D4976. The raw material used to make King ColorCore® does not contain BPA's or Phthalates.



King Plastic Corporation
Our Innovation. Your Imagination.®

Distributed by:

 **Piedmont Plastics®**
where solutions take shape

Toll Free: 1.800.277.7898
www.piedmontplastics.com